

# References List

## Science on Our Minds 2001

### Mental Health in America and Worldwide

- ***Improving the Nation's Health: The National Institute of Mental Health***
- ***"...the burden of psychiatric conditions has been heavily underestimated."***  
***The Impact of Mental Illness on Society***

Murray CJL, Lopez AD, eds. *The global burden of disease and injury series, volume 1: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020*. Cambridge, MA: Published by the Harvard School of Public Health on behalf of the World Health Organization and the World Bank, Harvard University Press, 1996.

<http://www.who.int/msa/mnh/ems/dalys/intro.htm>

### Child and Adolescent Mental Health

- ***Attention Deficit Hyperactivity Disorder***

<sup>1</sup>Shaffer D, Fisher P, Dulcan MK, Davies M, Piacentini J, Schwab-Stone ME, Lahey BB, Bourdon K, Jensen PS, Bird HR, Canino G, Regier DA. The NIMH Diagnostic Interview Schedule for Children Version 2.3 (DISC-2.3): description, acceptability, prevalence rates, and performance in the MECA Study. Methods for the Epidemiology of Child and Adolescent Mental Disorders Study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1996; 35(7): 865-77.

<sup>2</sup>Wolraich ML, Hannah JN, Baumgaertel A, Feurer ID. Examination of DSM-IV criteria for attention deficit/hyperactivity disorder in a county-wide sample. *Journal of Developmental and Behavioral Pediatrics*, 1998; 19(3): 162-8.

<sup>3</sup>DiScala C, Lescossier I, Barthel M, Li G. Injuries to children with attention deficit hyperactivity disorder. *Pediatrics*. 1998; 102(6): 1415-21.

<sup>4</sup>Spencer T, Biederman J, Wilens T. Attention-deficit/hyperactivity disorder and comorbidity. *Pediatric Clinics of North America*, 1999; 46(5): 915-27, vii.

<sup>5</sup>Mannuzza S, Klein RG, Bessler A, Malloy P, LaPadula M. Adult psychiatric status of hyperactive boys grown up. *American Journal of Psychiatry*, 1998; 155(4): 493-8.

<sup>6</sup>Barkley RA. Attention-deficit/hyperactivity disorder. In: Mash EJ, Barkley RA, eds. *Child psychopathology*. New York: Guilford Press, 1996; 63-112.

<sup>7</sup>Dulcan MK, Benson RS. AACAP Official Action. Summary of the practice parameters for the assessment and treatment of children, adolescents, and adults with ADHD. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1997; 36(9): 1311-7.

<sup>8</sup>National Institutes of Health Consensus Development Conference Statement. Diagnosis and treatment of attention-deficit/hyperactivity disorder (ADHD). *Journal of the American Academy of Child and Adolescent Psychiatry*, 2000; 39(2): 182-93. [http://odp.od.nih.gov/consensus/cons/110/110\\_intro.htm](http://odp.od.nih.gov/consensus/cons/110/110_intro.htm)

<sup>9</sup>The MTA Cooperative Group. A 14-month randomized clinical trial of treatment strategies for attention-deficit/hyperactivity disorder. Multimodal treatment study of children with ADHD. *Archives of General Psychiatry*, 1999; 56(12): 1073-86.

<sup>10</sup>Castellanos FX, Giedd JN, Marsh WL, Hamburger SD, Vaituzis AC, Dickstein DP, Sarfatti SE, Vauss YC, Snell JW, Lange N, Kaysen D, Krain AL, Ritchie GF, Rajapakse JC, Rapoport JL. Quantitative brain magnetic resonance imaging in attention-deficit hyperactivity disorder. *Archives of General Psychiatry*, 1996; 53(7): 607-16.

<sup>11</sup>Zametkin AJ, Nordahl TE, Gross M, King AC, Semple WE, Rumsey J, Hamburger S, Cohen RM. Cerebral glucose metabolism in adults with hyperactivity of childhood onset. *New England Journal of Medicine*, 1990; 323(20): 1361-6.

- <sup>12</sup> NIMH Genetics Workgroup. *Genetics and mental disorders*. NIH Publication No. 98-4268. Rockville, MD: National Institute of Mental Health, 1998.
- <sup>13</sup> Jensen PS, Bhatara VS, Vitiello B, Hoagwood K, Feil M, Burke LB. Psychoactive medication prescribing practices for US children: gaps between research and clinical practice. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1999; 38(5): 557-65.
- <sup>14</sup> Greenhill LL, Halperin JM, Abikoff H. Stimulant medications. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1999; 38(5): 503-12.

## ■ **Teenage Brain: A Work in Progress**

- <sup>1</sup> Giedd JN, Blumenthal J, Jeffries NO, Castellanos FX, Liu H, Zijdenbos A, Paus T, Evans AC, Rapoport JL. Brain development during childhood and adolescence: a longitudinal MRI study. *Nature Neuroscience*, 1999; 2(10): 861-3.
- <sup>2</sup> Rapoport JL, Giedd JN, Blumenthal J, Hamburger S, Jeffries N, Fernandez T, Nicolson R, Bedwell J, Lenane M, Zijdenbos A, Paus T, Evans A. Progressive cortical change during adolescence in childhood-onset schizophrenia. A longitudinal magnetic resonance imaging study. *Archives of General Psychiatry*, 1999; 56(7): 649-54.
- <sup>3</sup> Thompson PM, Giedd JN, Woods RP, MacDonald D, Evans AC, Toga AW. Growth patterns in the developing brain detected by using continuum mechanical tensor maps. *Nature*, 2000; 404(6774): 190-3.
- <sup>4</sup> Sowell ER, Thompson PM, Holmes CJ, Jernigan TL, Toga AW. In vivo evidence for post-adolescent brain maturation in frontal and striatal regions. *Nature Neuroscience*, 1999; 2(10): 859-61.
- <sup>5</sup> Baird AA, Gruber SA, Fein DA, Maas LC, Steingard RJ, Renshaw PF, Cohen BM, Yurgelun-Todd DA. Functional magnetic resonance imaging of facial affect recognition in children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1999; 38(2): 195-9.

## ■ **Teens: The Company They Keep**

- <sup>1</sup> Elliot DS, Huizinga D, Morse B. Self-reported violent offending—a descriptive analysis of juvenile violent offenders and their offending careers. *Journal of Interpersonal Violence*, 1986; 1: 472-514.
- <sup>2</sup> Elliot DS. Serious violent offenders: onset, developmental course, and termination—the American Society for Criminology 1993 Address. *Criminology*, 1994; 32: 1-21.
- <sup>3</sup> Dishion TJ, McCord J, Poulin F. When interventions harm: peer groups and problem behavior. *American Psychologist*, 1999; 54(9): 755-64.
- <sup>4</sup> Chamberlain P, Mihalic SE. Multidimensional treatment foster care. In: Elliott DS, ed. *Book eight: blueprints for violence prevention*. Boulder, CO: Institute of Behavioral Science, University of Colorado at Boulder, 1998.
- <sup>5</sup> Stroul BA, Friedman RM. Caring for severely emotionally disturbed children and youth. Principles for a system of care. *Children Today*, 1988; 17(4): 11-5.
- <sup>6</sup> Aos S, Phipps P, Barnoski, R, et al. The comparative costs and benefits of programs to reduce crime: a review of national research findings with implications for Washington State (Publication No. 99-05-1202). Olympia, WA: Washington State Institute for Public Policy, 1999.
- <sup>7</sup> Chamberlain P, Reid J. Comparison of two community alternatives to incarceration for chronic juvenile offenders. *Journal of Consulting and Clinical Psychology*, 1998; 6(4): 624-33.

## ■ **Unraveling Autism**

- <sup>1</sup> Bryson SE, Smith IM. Epidemiology of autism: prevalence, associated characteristics, and service delivery. *Mental Retardation and Developmental Disabilities Research Reviews*, 1998; 4: 97-103.
- <sup>2</sup> Fombonne E. Epidemiology of autism and related conditions. In: Volkmar FR, ed. *Autism and pervasive developmental disorders*. Cambridge, England: Cambridge University Press, 1998; 32-63.
- <sup>3</sup> Volkmar F, Cook EH Jr, Pomeroy J, et al. Practice parameters for the assessment and treatment of children, adolescents, and adults with autism and other pervasive developmental disorders. American Academy of Child and Adolescent Psychiatry Working Group on Quality Issues. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1999; 38(12 Suppl): 32S-54S.
- <sup>4</sup> Bristol MM, Cohen DJ, Costello EJ, Denckla M, Eckberg TJ, Kallen R, Kraemer HC, Lord C, Maurer R, McIlvane WJ, Minshew N, Sigman M, Spence MA. State of the science in autism: report to the National Institutes Health. *Journal of Autism and Developmental Disorders*, 1996; 26(2): 121-54.
- <sup>5</sup> NIMH Genetics Workgroup. *Genetics and mental disorders*. NIH Publication No. 98-4268. Rockville, MD: National Institute of Mental Health, 1998.
- <sup>6</sup> Piven J, Palmer P, Jacobi D, Childress D, Arndt S. Broader autism phenotype: evidence from a family history study of multiple-incidence autism families. *American Journal of Psychiatry*, 1997; 154(2): 185-90.

- <sup>7</sup>Cook EH. Autism: review of neurochemical investigation. *Synapse*, 1990; 6(3): 292-308.
- <sup>8</sup>McEachin JJ, Smith T, Lovaas OI. Long-term outcome for children with autism who received early intensive behavioral treatment. *American Journal of Mental Retardation*, 1993; 97(4): 359-72; discussion 373-91.
- <sup>9</sup>McDougle CJ, Naylor ST, Cohen DJ, Volkmar FR, Heninger GR, Price LH. A double-blind, placebo-controlled study of fluvoxamine in adults with autistic disorder. *Archives of General Psychiatry*, 1996; 53(11): 1001-8.
- <sup>10</sup>Gordon CT, State RC, Nelson JE, Hamburger SD, Rapoport JL. A double-blind comparison of clomipramine, desipramine, and placebo in the treatment of autistic disorder. *Archives of General Psychiatry*, 1993; 50(6): 441-7.
- <sup>11</sup>Campbell M, Armenteros JL, Malone RP, Adams PB, Eisenberg ZW, Overall JE. Neuroleptic-related dyskinesias in autistic children: a prospective, longitudinal study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1997; 36(6): 835-43.

## ■ **Youth in a Difficult World**

- <sup>1</sup>Shaffer D, Fisher P, Dulcan MK, Davies M, Piacentini J, Schwab-Stone ME, Lahey BB, Bourdon K, Jensen PS, Bird HR, Canino G, Regier DA. The NIMH Diagnostic Interview Schedule for Children Version 2.3 (DISC-2.3): description, acceptability, prevalence rates, and performance in the MECA Study. Methods for the Epidemiology of Child and Adolescent Mental Disorders Study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1996; 35(7): 865-77.
- <sup>2</sup>Burns BJ, Costello EJ, Angold A, Tweed D, Stangl D, Farmer EM, Erkanli A. Data watch: children's mental health service use across service sectors. *Health Affairs*, 1995; 14(3): 147-59.
- <sup>3</sup>Henggeler SW, Schoenwald SK, Borduin CM, et al. *Multisystemic treatment of antisocial behavior in children and adolescents*. New York: Guilford Press, 1998.
- <sup>4</sup>Borduin CM, Mann BJ, Cone LT, Henggeler SW, Fucci BR, Blaske DM, Williams RA. Multisystemic treatment of serious juvenile offenders: long-term prevention of criminality and violence. *Journal of Consulting and Clinical Psychology*, 1995; 63(4): 569-78.
- <sup>5</sup>Henggeler SW, Melton GB, Smith LA. Family preservation using multisystemic therapy: an effective alternative to incarcerating serious juvenile offenders. *Journal of Consulting and Clinical Psychology*, 1992; 60(6): 953-61.

## Depressive Disorders

### ■ **Depression Can Break Your Heart**

- <sup>1</sup>Pratt LA, Ford DE, Crum RM, Armenian HK, Gallo JJ, Eaton WW. Depression, psychotropic medication, and risk of myocardial infarction. Prospective data from the Baltimore ECA follow-up. *Circulation*, 1996; 94(12): 3123-9.
- <sup>2</sup>Frasere-Smith N, Lesperance F, Talajic M. Depression and 18-month prognosis after myocardial infarction. *Circulation*, 1995; 91(4): 999-1005.
- <sup>3</sup>Ziegelstein RC, Fauerbach JA, Stevens SS, Romanelli J, Richter DP, Bush DE. Patients with depression are less likely to follow recommendations to reduce cardiac risk during recovery from a myocardial infarction. *Archives of Internal Medicine*, 2000; 160(12): 1818-23.
- <sup>4</sup>Nemeroff CB, Musselman DL, Evans DL. Depression and cardiac disease. *Depression and Anxiety*, 1998; 8(Suppl 1): 71-9.
- <sup>5</sup>Regier DA, Narrow WE, Rae DS, Manderscheid RW, Locke BZ, Goodwin FK. The de facto mental and addictive disorders service system. Epidemiologic Catchment Area prospective 1-year prevalence rates of disorders and services. *Archives of General Psychiatry*, 1993; 50(2): 85-94.
- <sup>6</sup>Lesperance F, Frasere-Smith N, Talajic M. Major depression before and after myocardial infarction: its nature and consequences. *Psychosomatic Medicine*, 1996; 58(2): 99-110.
- <sup>7</sup>Hirschfeld RM, Keller MB, Panico S, Arons BS, Barlow D, Davidoff F, Endicott J, Froom J, Goldstein M, Gorman JM, Marek RG, Maurer TA, Meyer R, Phillips K, Ross J, Schwenk TL, Sharfstein SS, Thase ME, Wyatt RJ. The National Depressive and Manic-Depressive Association consensus statement on the undertreatment of depression. *Journal of the American Medical Association*, 1997; 277(4): 333-40.
- <sup>8</sup>Murray CJL, Lopez AD, eds. *Summary: The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020*. Cambridge, MA: Published by the Harvard School of Public Health on behalf of the World Health Organization and the World Bank, Harvard University Press, 1996. <http://www.who.int/msa/mnh/ems/dalys/intro.htm>
- <sup>9</sup>Murphy SL. Deaths: final data for 1998. *National Vital Statistics Report*, 48(11). DHHS Publication No. 2000-1120. Hyattsville, MD: National Center for Health Statistics, 2000. [http://www.cdc.gov/nchs/data/nvs48\\_11.pdf](http://www.cdc.gov/nchs/data/nvs48_11.pdf)
- <sup>10</sup>Chabot RJ, Gugino LD, Aglio LS, Maddi R, Cote W. QEEG and neuropsychological profiles of patients after undergoing cardiopulmonary bypass surgical procedures. *Clinical Electroencephalography*, 1997; 28(2): 98-105.
- <sup>11</sup>Blumenthal JA, Babyak MA, Moore KA, Craighead WE, Herman S, Khatri P, Waugh R, Napolitano MA, Forman LM, Appelbaum M, Doraiswamy PM, Krishnan KR. Effects of exercise training on older patients with major depression. *Archives of Internal Medicine*, 1999; 159(19): 2349-56.

- <sup>12</sup> Fletcher GF, Balady G, Blair SN, Blumenthal J, Caspersen C, Chaitman B, Epstein S, Sivarajan Froelicher ES, Froelicher VF, Pina IL, Pollock ML. Statement on exercise: benefits and recommendations for physical activity programs for all Americans. A statement for health professionals by the Committee on Exercise and Cardiac Rehabilitation of the Council on Clinical Cardiology, American Heart Association. *Circulation*, 1996; 94(4): 857-62.

## ■ **Going to Extremes: Bipolar Disorder**

- <sup>1</sup> Brown GK, Beck AT, Steer RA, Grisham JR. Risk factors for suicide in psychiatric outpatients: a 20-year prospective study. *Journal of Consulting and Clinical Psychology*, 2000; 68(3): 371-7.
- <sup>2</sup> Narrow WE. One-year prevalence of depressive disorders among adults 18 and over in the U.S.: NIMH ECA prospective data. Population estimates based on U.S. Census estimated residential population age 18 and over on July 1, 1998. Unpublished.
- <sup>3</sup> Geller B, Luby J. Child and adolescent bipolar disorder: a review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1997; 36(9): 1168-76.
- <sup>4</sup> Robins LN, Regier DA, eds. *Psychiatric disorders in America: the Epidemiologic Catchment Area Study*. New York: The Free Press, 1991.
- <sup>5</sup> Sachs GS, Printz DJ, Kahn DA, et al. The expert consensus guideline series: medication treatment of bipolar disorder 2000. *Postgraduate Medicine*, 2000; Spec No: 1-104.
- <sup>6</sup> American Psychiatric Association. Practice guideline for the treatment of patients with bipolar disorder. *American Journal of Psychiatry*, 1994; 151(12 Suppl): 1-36.
- <sup>7</sup> Frank E, Hlastala S, Ritenour A, Houck P, Tu XM, Monk TH, Mallinger AG, Kupfer DJ. Inducing lifestyle regularity in recovering bipolar disorder patients: results from the maintenance therapies in bipolar disorder protocol. *Biological Psychiatry*, 1997; 41(12): 1165-73.
- <sup>8</sup> Vainionpaa LK, Rattaya J, Knip M, Tapanainen JS, Pakarinen AJ, Lanning P, Tekay A, Myllyla VV, Isojarvi JI. Valproate-induced hyperandrogenism during pubertal maturation in girls with epilepsy. *Annals of Neurology*, 1999; 45(4): 444-50.
- <sup>9</sup> NIMH Genetics Workgroup. *Genetics and mental disorders*. NIH Publication No. 98-4268. Rockville, MD: National Institute of Mental Health, 1998.
- <sup>10</sup> Soares JC, Mann JJ. The anatomy of mood disorders—review of structural neuroimaging studies. *Biological Psychiatry*, 1997; 41(1): 86-106.
- <sup>11</sup> Soares JC, Mann JJ. The functional neuroanatomy of mood disorders. *Journal of Psychiatric Research*, 1997; 31(4): 393-432.

## ■ **In Harm's Way: Suicide in America**

- <sup>1</sup> Hoyert DL, Kochanek KD, Murphy SL. Deaths: final data for 1997. *National Vital Statistics Report*, 47(19). DHHS Publication No. 99-1120. Hyattsville, MD: National Center for Health Statistics, 1999. [http://www.cdc.gov/nchs/data/nvs47\\_19.pdf](http://www.cdc.gov/nchs/data/nvs47_19.pdf)
- <sup>2</sup> McCraig LF, Stussman BJ. National Hospital Ambulatory Care Survey: 1996. Emergency department summary. Advance Data from Vital and Health Statistics, no. 293. Hyattsville, MD: National Center for Health Statistics, 1997. <http://www.cdc.gov/nchs/data/ad293.pdf>
- <sup>3</sup> Conwell Y, Brent D. Suicide and aging I: patterns of psychiatric diagnosis. *International Psychogeriatrics*, 1995; 7(2): 149-64.
- <sup>4</sup> Mann JJ, Oquendo M, Underwood MD, Arango V. The neurobiology of suicide risk: a review for the clinician. *Journal of Clinical Psychiatry*, 1999; 60(Suppl 2): 7-11; discussion 18-20, 113-6.
- <sup>5</sup> Blumenthal SJ. Suicide: a guide to risk factors, assessment, and treatment of suicidal patients. *Medical Clinics of North America*, 1988; 72(4): 937-71.
- <sup>6</sup> Weissman MM, Bland RC, Canino GJ, Greenwald S, Hwu HG, Joyce PR, Karam EG, Lee CK, Lellouch J, Lepine JP, Newman SC, Rubio-Stipec M, Wells JE, Wickramaratne PJ, Wittchen HU, Yeh EK. Prevalence of suicide ideation and suicide attempts in nine countries. *Psychological Medicine*, 1999; 29(1): 9-17.
- <sup>7</sup> National Center for Injury Prevention and Control. *Fact book for the year 2000: suicide and suicide behavior*. <http://www.cdc.gov/ncipc/pub-res/FactBook/suicide.htm>
- <sup>8</sup> National Center for Injury Prevention and Control. *Suicide deaths and rates per 100,000: United States 1994–1997*. <http://www.cdc.gov/ncipc/data/us9794/Suic.htm>
- <sup>9</sup> Moscicki EK. Epidemiology of suicide. In: Jacobs D, ed. *The Harvard Medical School guide to suicide assessment and intervention*. San Francisco, CA: Jossey-Bass, 1999, 40-71.
- <sup>10</sup> Kessler RC, Borges G, Walters EE. Prevalence of and risk factors for lifetime suicide attempts in the National Comorbidity Survey. *Archives of General Psychiatry*, 1999; 56(7): 617-26.
- <sup>11</sup> Petronis KR, Samuels JF, Moscicki EK, Anthony JC. An epidemiologic investigation of potential risk factors for suicide attempts. *Social Psychiatry and Psychiatric Epidemiology*, 1990; 25(4): 193-9.

- <sup>12</sup> Gould MS, King R, Greenwald S, Fisher P, Schwab-Stone M, Kramer R, Flisher AJ, Goodman S, Canino G, Shaffer D. Psychopathology associated with suicidal ideation and attempts among children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1998; 37(9): 915-23.
- <sup>13</sup> Fergusson DM, Horwood LJ, Lynskey MT. Childhood sexual abuse and psychiatric disorder in young adulthood, II: psychiatric outcomes of childhood sexual abuse. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1996; 35(10): 1365-74.
- <sup>14</sup> Kaplan SJ, Pelcovitz D, Salzinger S, Mandel F, Weiner M. Adolescent physical abuse and suicide attempts. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1997; 36(6): 799-808.
- <sup>15</sup> Vieland V, Whittle B, Garland A, Hicks R, Shaffer D. The impact of curriculum-based suicide prevention programs for teenagers: an 18-month follow-up. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1991; 30(5): 811-5.
- <sup>16</sup> Conwell Y. Suicide in elderly patients. In: Schneider LS, Reynolds CF III, Lebowitz, BD, Friedhoff AJ, eds. *Diagnosis and treatment of depression in late life*. Washington, DC: American Psychiatric Press, 1994; 397-418.

## ■ **The Invisible Disease: Depression**

- <sup>1</sup> Birmaher B, Ryan ND, Williamson DE, Brent DA, Kaufman J, Dahl RE, Perel J, Nelson B. Childhood and adolescent depression: a review of the past 10 years. Part I. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1996; 35(11): 1427-39.
- <sup>2</sup> Murray CJL, Lopez AD, eds. *Summary: The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020*. Cambridge, MA: Published by the Harvard School of Public Health on behalf of the World Health Organization and the World Bank, Harvard University Press, 1996. <http://www.who.int/msa/mnh/ems/dalys/intro.htm>
- <sup>3</sup> Regier DA, Narrow WE, Rae DS, Manderscheid RW, Locke BZ, Goodwin FK. The de facto mental and addictive disorders service system. Epidemiologic Catchment Area prospective 1-year prevalence rates of disorders and services. *Archives of General Psychiatry*, 1993; 50(2): 85-94.
- <sup>4</sup> Narrow WE. One-year prevalence of depressive disorders among adults 18 and over in the U.S.: NIMH ECA prospective data. Population estimates based on U.S. Census estimated residential population age 18 and over on July 1, 1998. Unpublished.
- <sup>5</sup> Conwell Y, Brent D. Suicide and aging I: patterns of psychiatric diagnosis. *International Psychogeriatrics*, 1995; 7(2): 149-64.
- <sup>6</sup> Mulrow CD, Williams JW Jr, Trivedi M, Chiquette E, Aguilar C, Cornell JE, Badgett R, Noel PH, Lawrence V, Lee S, Luther M, Ramirez G, Richardson WS, Stamm K. Evidence report on treatment of depression-newer pharmacotherapies. *Psychopharmacology Bulletin*, 1998; 34(4): 409-795.
- <sup>7</sup> Hyman SE, Rudorfer MV. Depressive and bipolar mood disorders. In: Dale DC, Federman DD, eds. *Scientific American® Medicine. Volume 3*. New York: Healtheon/WebMD Corp., 2000, Sect. 13, Subsect. II, p. 1.
- <sup>8</sup> National Advisory Mental Health Council. Health care reform for Americans with severe mental illnesses. *American Journal of Psychiatry*, 1993; 150(10): 1447-65.
- <sup>9</sup> U.S. Department of Health and Human Services. *Mental health: a report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health, 1999.
- <sup>10</sup> Soares JC, Mann JJ. The functional neuroanatomy of mood disorders. *Journal of Psychiatric Research*, 1997; 31(4): 393-432.
- <sup>11</sup> NIMH Genetics Workgroup. *Genetics and mental disorders*. NIH Publication No. 98-4268. Rockville, MD: National Institute of Mental Health, 1998.
- <sup>12</sup> Mazure CM, Bruce ML, Maciejewski PW, Jacobs SC. Adverse life events and cognitive-personality characteristics in the prediction of major depression and antidepressant response. *American Journal of Psychiatry*, 2000; 157(6): 896-903.
- <sup>13</sup> Arborelius L, Owens MJ, Plotsky PM, Nemeroff CB. The role of corticotropin-releasing factor in depression and anxiety disorders. *Journal of Endocrinology*, 1999; 160(1): 1-12.

## ■ **Older Adults: Depression and Suicide Facts**

- <sup>1</sup> Conwell Y, Brent D. Suicide and aging I: patterns of psychiatric diagnosis. *International Psychogeriatrics*, 1995; 7(2): 149-64.
- <sup>2</sup> Conwell Y. Suicide in elderly patients. In: Schneider LS, Reynolds CF III, Lebowitz, BD, Friedhoff AJ, eds. *Diagnosis and treatment of depression in late life*. Washington, DC: American Psychiatric Press, 1994; 397-418.
- <sup>3</sup> Hoyert DL, Kochanek KD, Murphy SL. Deaths: final data for 1997. *National Vital Statistics Report*, 47(19). DHHS Publication No. 99-1120. Hyattsville, MD: National Center for Health Statistics, 1999. [http://www.cdc.gov/nchs/data/nvs47\\_19.pdf](http://www.cdc.gov/nchs/data/nvs47_19.pdf)
- <sup>4</sup> Narrow WE. One-year prevalence of depressive disorders among adults 18 and over in the U.S.: NIMH ECA prospective data. Population estimates based on U.S. Census estimated residential population age 18 and over on July 1, 1998. Unpublished.
- <sup>5</sup> Horwath E, Johnson J, Klerman GL, Weissman MM. Depressive symptoms as relative and attributable risk factors for first-onset major depression. *Archives of General Psychiatry*, 1992; 49(10): 817-23.

- <sup>6</sup>Depression Guideline Panel. *Depression in primary care: volume 1. Detection and diagnosis. Clinical practice guideline, number 5.* AHCPR Publication No. 93-0550. Rockville, MD: Agency for Health Care Policy and Research, 1993.
- <sup>7</sup>Lebowitz BD, Pearson JL, Schneider LS, Reynolds CF 3rd, Alexopoulos GS, Bruce ML, Conwell Y, Katz IR, Meyers BS, Morrison MF, Mossey J, Niederehe G, Parmelee P. Diagnosis and treatment of depression in late life. Consensus statement update. *Journal of the American Medical Association*, 1997; 278(14): 1186-90.
- <sup>8</sup>Soares JC, Mann JJ. The functional neuroanatomy of mood disorders. *Journal of Psychiatric Research*, 1997; 31(4): 393-432.
- <sup>9</sup>NIMH Genetics Workgroup. *Genetics and mental disorders.* NIH Publication No. 98-4268. Rockville, MD: National Institute of Mental Health, 1998.
- <sup>10</sup>Mulrow CD, Williams JW Jr, Trivedi M, Chiquette E, Aguilar C, Cornell JE, Badgett R, Noel PH, Lawrence V, Lee S, Luther M, Ramirez G, Richardson WS, Stamm K. Evidence report on treatment of depression—newer pharmacotherapies. *Psychopharmacology Bulletin*, 1998; 34(4): 409-795.
- <sup>11</sup>Little JT, Reynolds CF 3rd, Dew MA, Frank E, Begley AE, Miller MD, Cornes C, Mazumdar S, Perel JM, Kupfer DJ. How common is resistance to treatment in recurrent, nonpsychotic geriatric depression? *American Journal of Psychiatry*, 1998; 155(8): 1035-8.
- <sup>12</sup>Reynolds CF 3rd, Frank E, Perel JM, Imber SD, Cornes C, Miller MD, Mazumdar S, Houck PR, Dew MA, Stack JA, Pollock BG, Kupfer DJ. Nortriptyline and interpersonal psychotherapy as maintenance therapies for recurrent major depression: a randomized controlled trial in patients older than 59 years. *Journal of the American Medical Association*, 1999; 281(1): 39-45.

## Anxiety Disorders

### ■ **Reliving Trauma: Post-Traumatic Stress Disorder**

- <sup>1</sup>Narrow WE, Rae DS, Regier DA. NIMH epidemiology note: prevalence of anxiety disorders. One-year prevalence best estimates calculated from ECA and NCS data. Population estimates based on U.S. Census estimated residential population age 18 to 54 on July 1, 1998. Unpublished.
- <sup>2</sup>Kulka RA, Schlenger WE, Fairbank JA, et al. *Contractual report of findings from the National Vietnam veterans readjustment study.* Research Triangle Park, NC: Research Triangle Institute, 1988.
- <sup>3</sup>Wolfe J, Erickson DJ, Sharkansky EJ, King DW, King LA. Course and predictors of posttraumatic stress disorder among Gulf War veterans: a prospective analysis. *Journal of Consulting and Clinical Psychology*, 1999; 67(4): 520-8.
- <sup>4</sup>Davidson JR. Trauma: the impact of post-traumatic stress disorder. *Journal of Psychopharmacology*, 2000; 14(2 Suppl 1): S5-S12.
- <sup>5</sup>Breslau N, Davis GC, Andreski P, Peterson E. Traumatic events and post-traumatic stress disorders in an urban population of young adults. *Archives of General Psychiatry*, 1991; 48(3): 216-22.
- <sup>6</sup>Marks I, Lovell K, Noshirvani H, Livanou M, Thrasher S. Treatment of post-traumatic stress disorder by exposure and/or cognitive restructuring: a controlled study. *Archives of General Psychiatry*, 1998; 55(4): 317-25.
- <sup>7</sup>Lubin H, Loris M, Burt J, Johnson DR. Efficacy of psychoeducational group therapy in reducing symptoms of posttraumatic stress disorder among multiply traumatized women. *American Journal of Psychiatry*, 1998; 155(9): 1172-7.
- <sup>8</sup>Kent JM, Coplan JD, Gorman JM. Clinical utility of the selective serotonin reuptake inhibitors in the spectrum of anxiety. *Biological Psychiatry*, 1998; 44(9): 812-24.
- <sup>9</sup>Chemtob CM, Tomas S, Law W, Cremniter D. Postdisaster psychosocial intervention: a field study of the impact of debriefing on psychological distress. *American Journal of Psychiatry*, 1997; 154(3): 415-7.
- <sup>10</sup>Widom CS. Post-traumatic stress disorder in abused and neglected children grown up. *American Journal of Psychiatry*, 1999; 156(8): 1223-9.
- <sup>11</sup>Feeny NC, Zoellner LA, Fitzgibbons LA, Foa EB. Exploring the roles of emotional numbing, depression, and dissociation in PTSD. *Journal of Traumatic Stress*, 2000; 13(3): 489-98.
- <sup>12</sup>LeDoux J. Fear and the brain: where have we been, and where are we going? *Biological Psychiatry*, 1998; 44(12): 1229-38.
- <sup>13</sup>Yehuda R. Psychoneuroendocrinology of post-traumatic stress disorder. *Psychiatric Clinics of North America*, 1998; 21(2): 359-79.

### ■ **Step on a Crack... Obsessive-Compulsive Disorder**

- <sup>1</sup>Narrow WE, Rae DS, Regier DA. NIMH epidemiology note: prevalence of anxiety disorders. One-year prevalence best estimates calculated from ECA and NCS data. Population estimates based on U.S. Census estimated residential population age 18 to 54 on July 1, 1998. Unpublished.
- <sup>2</sup>Robins LN, Regier DA, eds. *Psychiatric disorders in America: the Epidemiologic Catchment Area Study.* New York: The Free Press, 1991.
- <sup>3</sup>Regier DA, Rae DS, Narrow WE, Kaelber CT, Schatzberg AF. Prevalence of anxiety disorders and their comorbidity with mood and addictive disorders. *British Journal of Psychiatry Supplement*, 1998; (34): 24-8.
- <sup>4</sup>Wonderlich SA, Mitchell JE. Eating disorders and comorbidity: empirical, conceptual, and clinical implications. *Psychopharmacology Bulletin*, 1997; 33(3): 381-90.



- <sup>5</sup> Sheppard DM, Bradshaw JL, Purcell R, Pantelis C. Tourette's and comorbid syndromes: obsessive compulsive and attention deficit hyperactivity disorder. A common etiology? *Clinical Psychology Review*, 1999; 19(5): 531-52.
- <sup>6</sup> Hyman SE, Rudorfer MV. Anxiety disorders. In: Dale DC, Federman DD, eds. *Scientific American® Medicine. Volume 3*. New York: Healtheon/WebMD Corp., 2000, Sect. 13, Subsect. VIII, p. 1.
- <sup>7</sup> Rauch SL, Savage CR, Alpert NM, Dougherty D, Kendrick A, Curran T, Brown HD, Manzo P, Fischman AJ, Jenike MA. Probing striatal function in obsessive-compulsive disorder: a PET study of implicit sequence learning. *Journal of Neuropsychiatry and Clinical Neuroscience*, 1997; 9(4): 568-73.

## ■ **When Fear Holds Sway: Panic Disorder**

- <sup>1</sup> Narrow WE, Rae DS, Regier DA. NIMH epidemiology note: prevalence of anxiety disorders. One-year prevalence best estimates calculated from ECA and NCS data. Population estimates based on U.S. Census estimated residential population age 18 to 54 on July 1, 1998. Unpublished.
- <sup>2</sup> Robins LN, Regier DA, eds. *Psychiatric disorders in America: the Epidemiologic Catchment Area Study*. New York: The Free Press, 1991.
- <sup>3</sup> Regier DA, Rae DS, Narrow WE, Kaelber CT, Schatzberg AF. Prevalence of anxiety disorders and their comorbidity with mood and addictive disorders. *British Journal of Psychiatry Supplement*, 1998; (34): 24-8.
- <sup>4</sup> Hyman SE, Rudorfer MV. Anxiety disorders. In: Dale DC, Federman DD, eds. *Scientific American® Medicine. Volume 3*. New York: Healtheon/WebMD Corp., 2000, Sect. 13, Subsect. VIII, p. 1.
- <sup>5</sup> LeDoux J. Fear and the brain: where have we been, and where are we going? *Biological Psychiatry*, 1998; 44(12): 1229-38.

# Schizophrenia

## ■ **When Someone Has Schizophrenia**

- <sup>1</sup> Harrow M, Sands JR, Silverstein ML, Goldberg JF. Course and outcome for schizophrenia versus other psychotic patients: a longitudinal study. *Schizophrenia Bulletin*, 1997; 23(2): 287-303.
- <sup>2</sup> Lehman AF, Steinwachs DM. Translating research into practice: the Schizophrenia Patient Outcomes Research Team (PORT) treatment recommendations. *Schizophrenia Bulletin*, 1998; 24(1): 1-10.
- <sup>3</sup> Narrow WE. One-year prevalence of mental disorders, excluding substance use disorders, in the U.S.: NIMH ECA prospective data. Population estimates based on U.S. Census estimated residential population age 18 and over on July 1, 1998. Unpublished.
- <sup>4</sup> Regier DA, Narrow WE, Rae DS, Manderscheid RW, Locke BZ, Goodwin FK. The de facto mental and addictive disorders service system. Epidemiologic Catchment Area prospective 1-year prevalence rates of disorders and services. *Archives of General Psychiatry*, 1993; 50(2): 85-94.
- <sup>5</sup> *Report of the international pilot study of schizophrenia. Volume 1*. Geneva, Switzerland: World Health Organization, 1973.
- <sup>6</sup> Murray CJL, Lopez A.D, eds. *Summary: The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020*. Cambridge, MA: Published by the Harvard School of Public Health on behalf of the World Health Organization and the World Bank, Harvard University Press, 1996. <http://www.who.int/msa/mnh/ems/dalys/intro.htm>
- <sup>7</sup> Fenton WS, McGlashan TH, Victor BJ, Blyler CR. Symptoms, subtype, and suicidality in patients with schizophrenia spectrum disorders. *American Journal of Psychiatry*, 1997; 154(2): 199-204.
- <sup>8</sup> Swartz MS, Swanson JW, Hiday VA, Borum R, Wagner R, Burns BJ. Taking the wrong drugs: the role of substance abuse and medication noncompliance in violence among severely mentally ill individuals. *Social Psychiatry and Psychiatric Epidemiology*, 1998; 33(Suppl 1): S75-S80.
- <sup>9</sup> Steadman HJ, Mulvey EP, Monahan J, Robbins PC, Appelbaum PS, Grisso T, Roth LH, Silver E. Violence by people discharged from acute psychiatric inpatient facilities and by others in the same neighborhoods. *Archives of General Psychiatry*, 1998; 55(5): 393-401.
- <sup>10</sup> NIMH Genetics Workgroup. *Genetics and mental disorders*. NIH Publication No. 98-4268. Rockville, MD: National Institute of Mental Health, 1998.
- <sup>11</sup> Geddes JR, Lawrie SM. Obstetric complications and schizophrenia. *British Journal of Psychiatry*, 1995; 167(6): 786-93.
- <sup>12</sup> Olin SS, Mednick SA. Risk factors of psychosis: identifying vulnerable populations premorbidly. *Schizophrenia Bulletin*, 1996; 22(2): 223-40.
- <sup>13</sup> Murray RM, O'Callaghan E, Castle DJ, Lewis SW. A neurodevelopmental approach to the classification of schizophrenia. *Schizophrenia Bulletin*, 1992; 18(2): 319-32.
- <sup>14</sup> Suddath RL, Christison GW, Torrey EF, Casanova MF, Weinberger DR. Anatomical abnormalities in the brains of monozygotic twins discordant for schizophrenia. *New England Journal of Medicine*, 1990; 322(12): 789-94.
- <sup>15</sup> Rapoport JL, Giedd J, Kumra S, Jacobsen L, Smith A, Lee P, Nelson J, Hamburger S. Childhood-onset schizophrenia. Progressive ventricular change during adolescence. *Archives of General Psychiatry*, 1997; 54(10): 897-903.

- <sup>16</sup>Dawkins K, Lieberman JA, Lebowitz BD, Hsiao JK. Antipsychotics: past and future. National Institute of Mental Health Division of Services and Intervention Research Workshop, July 14, 1998. *Schizophrenia Bulletin*, 1999; 25(2): 395-405.
- <sup>17</sup>Wyatt RJ, Henter ID. The effects of early and sustained intervention on the long-term morbidity of schizophrenia. *Journal of Psychiatric Research*, 1998; 32(3-4): 169-77.
- <sup>18</sup>Owens RR, Fischer EP, Booth BM, Cuffel BJ. Medication non-compliance and substance abuse among patients with schizophrenia. *Psychiatric Services*, 1996; 47(8): 853-8.
- <sup>19</sup>Fenton WS, Blyler CB, Heinssen RK. Determinants of medication compliance in schizophrenia: empirical and clinical findings. *Schizophrenia Bulletin*, 1997; 23(4): 637-51.

## Personality Disorders

### ■ **Borderline Personality Disorder: Raising questions, finding answers**

- <sup>1</sup>Swartz M, Blazer D, George L, Winfield I. Estimating the prevalence of borderline personality disorder in the community. *Journal of Personality Disorders*, 1990; 4(3): 257-72.
- <sup>2</sup>Soloff PH, Lis JA, Kelly T, Cornelius J, Ulrich R. Self-mutilation and suicidal behavior in borderline personality disorder. *Journal of Personality Disorders*, 1994; 8(4): 257-67.
- <sup>3</sup>Gardner DL, Cowdry RW. Suicidal and parasuicidal behavior in borderline personality disorder. *Psychiatric Clinics of North America*, 1985; 8(2): 389-403.
- <sup>4</sup>Zanarini MC, Frankenburg FR. Treatment histories of borderline inpatients. *Comprehensive Psychiatry*, in press.
- <sup>5</sup>Zanarini MC, Frankenburg FR, DeLuca CJ, Hennen J, Khera GS, Gunderson JG. The pain of being borderline: dysphoric states specific to borderline personality disorder. *Harvard Review of Psychiatry*, 1998; 6(4): 201-7.
- <sup>6</sup>Koerner K, Linehan MM. Research on dialectical behavior therapy for patients with borderline personality disorder. *Psychiatric Clinics of North America*, 2000; 23(1): 151-67.
- <sup>7</sup>Siever LJ, Koenigsberg HW. The frustrating no-mans-land of borderline personality disorder. *Cerebrum, The Dana Forum on Brain Science*, 2000; 2(4).
- <sup>8</sup>Zanarini MC, Frankenburg FR. Pathways to the development of borderline personality disorder. *Journal of Personality Disorders*, 1997; 11(1): 93-104.
- <sup>9</sup>Zanarini MC. Childhood experiences associated with the development of borderline personality disorder. *Psychiatric Clinics of North America*, 2000; 23(1): 89-101.
- <sup>10</sup>Davidson RJ, Jackson DC, Kalin NH. Emotion, plasticity, context and regulation: perspectives from affective neuroscience. *Psychological Bulletin*, 2000; 126(6): 873-89.
- <sup>11</sup>Davidson RJ, Putnam KM, Larson CL. Dysfunction in the neural circuitry of emotion regulation - a possible prelude to violence. *Science*, 2000; 289(5479): 591-4.

## Women's Mental Health

### ■ **Women Hold Up Half the Sky: Women and Mental Health Research**

- <sup>1</sup>Regier DA, Narrow WE, Rae DS, Manderscheid RW, Locke BZ, Goodwin FK. The de facto mental and addictive disorders service system. Epidemiologic Catchment Area prospective 1-year prevalence rates of disorders and services. *Archives of General Psychiatry*, 1993; 50(2): 85-94.
- <sup>2</sup>Narrow WE. One-year prevalence of mental disorders, excluding substance use disorders, in the U.S.: NIMH ECA prospective data. Population estimates based on U.S. Census estimated residential population age 18 and over on July 1, 1998. Unpublished.
- <sup>3</sup>Murray CJL, Lopez AD, eds. *The global burden of disease and injury series, volume 1: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020*. Cambridge, MA: Published by the Harvard School of Public Health on behalf of the World Health Organization and the World Bank, Harvard University Press, 1996.  
<http://www.who.int/msa/mnh/ems/dalys/intro.htm>
- <sup>4</sup>Hoyert DL, Kochanek KD, Murphy SL. Deaths: final data for 1997. *National Vital Statistics Report*, 47(19). DHHS Publication No. 99-1120. Hyattsville, MD: National Center for Health Statistics, 1999. [http://www.cdc.gov/nchs/data/nvs47\\_19.pdf](http://www.cdc.gov/nchs/data/nvs47_19.pdf)
- <sup>5</sup>Weissman MM, Bland RC, Canino GJ, Greenwald S, Hwu HG, Joyce PR, Karam EG, Lee CK, Lellouch J, Lepine JF, Newman SC, Rubio-Stipec M, Wells JE, Wickramaratne PJ, Wittchen HU, Yeh EK. Prevalence of suicide ideation and suicide attempts in nine countries. *Psychological Medicine*, 1999; 29(1): 9-17.
- <sup>6</sup>Birmaher B, Ryan ND, Williamson DE, Brent DA, Kaufman J, Dahl RE, Perel J, Nelson B. Childhood and adolescent depression: a review of the past 10 years. Part I. *Journal of the American Academy of Child and Adolescent Psychiatry*, 1996; 35(11): 1427-39.



- <sup>7</sup> Bebbington PE, Dunn G, Jenkins R, Lewis G, Brugha T, Farrell M, Meltzer H. The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. *Psychological Medicine*, 1998; 28(1): 9-19.
- <sup>8</sup> Sherrill JT, Anderson B, Frank E, Reynolds CF 3rd, Tu XM, Patterson D, Ritenour A, Kupfer DJ. Is life stress more likely to provoke depressive episodes in women than in men? *Depression and Anxiety*, 1997; 6(3): 95-105.
- <sup>9</sup> Johnson SR, McChesney C, Bean JA. Epidemiology of premenstrual symptoms in a nonclinical sample. I. Prevalence, natural history and help-seeking behavior. *Journal of Reproductive Medicine*, 1988; 33(4): 340-6.
- <sup>10</sup> Rivera-Tovar AD, Frank E. Late luteal phase dysphoric disorder in young women. *American Journal of Psychiatry*, 1990; 147(12): 1634-6.
- <sup>11</sup> Schmidt PJ, Nieman LK, Danaceau MA, Adams LF, Rubinow DR. Differential behavioral effects of gonadal steroids in women with and in those without premenstrual syndrome. *New England Journal of Medicine*, 1998; 338(4): 209-16.
- <sup>12</sup> Yonkers KA, Halbreich U, Freeman E, Brown C, Endicott J, Frank E, Parry B, Pearlstein T, Severino S, Stout A, Stone A, Harrison W. Symptomatic improvement of premenstrual dysphoric disorder with sertraline treatment. A randomized controlled trial. Sertraline Premenstrual Dysphoric Collaborative Study Group. *Journal of the American Medical Association*, 1997; 278(12): 983-8.
- <sup>13</sup> Pearlstein TB, Stone AB, Lund SA, Scheft H, Zlotnick C, Brown WA. Comparison of fluoxetine, bupropion, and placebo in the treatment of premenstrual dysphoric disorder. *Journal of Clinical Psychopharmacology*, 1997; 17(4): 261-6.
- <sup>14</sup> Schmidt PJ, Nieman L, Danaceau MA, Tobin MB, Roca CA, Murphy JH, Rubinow DR. Estrogen replacement in perimenopause-related depression: a preliminary report. *American Journal of Obstetrics and Gynecology*, 2000; 183(2): 414-20.
- <sup>15</sup> Narrow WE, Rae DS, Regier DA. NIMH epidemiology note: prevalence of anxiety disorders. One-year prevalence best estimates calculated from ECA and NCS data. Population estimates based on U.S. Census estimated residential population age 18 to 54 on July 1, 1998. Unpublished.
- <sup>16</sup> Robins LN, Regier DA, eds. *Psychiatric disorders in America: the Epidemiologic Catchment Area Study*. New York: The Free Press, 1991.
- <sup>17</sup> Bourdon KH, Boyd JH, Rae DS, Burns BJ, Thompson JW, Locke BZ. Gender differences in phobias: results of the ECA community survey. *Journal of Anxiety Disorders*, 1988; 2: 227-41.
- <sup>18</sup> Breslau N, Davis GC, Andreski P, Peterson E. Traumatic events and posttraumatic stress disorder in an urban population of young adults. *Archives of General Psychiatry*, 1991; 48(3): 216-22.
- <sup>19</sup> Breslau N, Davis GC. Posttraumatic stress disorder in an urban population of young adults: risk factors for chronicity. *American Journal of Psychiatry*, 1992; 149(5): 671-5.
- <sup>20</sup> American Psychiatric Association Work Group on Eating Disorders. Practice guideline for the treatment of patients with eating disorders (revision). *American Journal of Psychiatry*, 2000; 157(1 Suppl): 1-39.
- <sup>21</sup> Spitzer RL, Yanovski S, Wadden T, Wing R, Marcus MD, Stunkard A, Devlin M, Mitchell J, Hasin D, Horne RL. Binge eating disorder: its further validation in a multisite study. *International Journal of Eating Disorders*, 1993; 13(2): 137-53.
- <sup>22</sup> Bruce B, Agras WS. Binge eating in females: a population-based investigation. *International Journal of Eating Disorders*, 1992; 12: 365-73.
- <sup>23</sup> *Report of the international pilot study of schizophrenia. Volume 1*. Geneva, Switzerland: World Health Organization, 1973.
- <sup>24</sup> Hafner H, Maurer K, Löffler W, Riecher-Rössler A. The influence of age and sex on the onset and early course of schizophrenia. *British Journal of Psychiatry*, 1993; 162: 80-6.
- <sup>25</sup> Miller LJ. Sexuality, reproduction, and family planning in women with schizophrenia. *Schizophrenia Bulletin*, 1997; 23(4): 623-35.
- <sup>26</sup> National Institute on Aging. *Progress report on Alzheimer's disease, 1999*. NIH Publication No. 99-4664. Bethesda, MD: National Institute on Aging, 1999.
- <sup>27</sup> McCann JJ, Hebert LE, Bennett DA, Skul VV, Evans DA. Why Alzheimer's disease is a women's health issue. *Journal of the American Medical Women's Association*, 1997; 52(3): 132-7.
- <sup>28</sup> Schulz R, O'Brien AT, Bookwala J, Fleissner K. Psychiatric and physical morbidity effects of dementia caregiving: prevalence, correlates, and causes. *Gerontologist*, 1995; 35(6): 771-91.

## Neuroscience Advances

### ■ ***Chairs, Houses & Visual Clutter: Watching the Brain at Work***

- <sup>1</sup> Ishai A, Ungerleider LG, Martin A, Schouten JL, Haxby JV. Distributed representation of objects in the human ventral visual pathway. *Proceedings of the National Academy of Sciences USA*, 1999; 96(16): 9379-84.
- <sup>2</sup> Kastner S, De Weerd P, Desimone R, Ungerleider LG. Mechanisms of directed attention in the human extrastriate cortex as revealed by functional MRI. *Science*, 1998; 282(5386): 108-11.
- <sup>3</sup> Courtney SM, Petit L, Maisog JM, Ungerleider LG, Haxby JV. An area specialized for spatial working memory in human frontal cortex. *Science*, 1998; 279(5355): 1347-51.

## ■ **Gene Hunting**

- <sup>1</sup>Risch NJ. Linkage strategies for genetically complex traits: I. multilocus models. *American Journal of Human Genetics*, 1990; 46(2): 222-8.
- <sup>2</sup>Craddock N, Khodel V, VanEerdewegh P, Reich T. Mathematical limits of multilocus models: the genetic transmission of bipolar disorder. *American Journal of Human Genetics*, 1995; 57(3): 690-702.
- <sup>3</sup>Risch N, Spiker D, Lotspeich L, Nouri N, Hinds D, Hallmayer J, Kalaydjieva L, McCague P, Dimiceli S, Pitts T, Nguyen L, Yang J, Harper C, Thorpe D, Vermeer S, Young H, Hebert J, Lin A, Ferguson J, Chiotti C, Wiese-Slater S, Rogers T, Salmon B, Nicholas P, Myers RM, et al. A genomic screen of autism: evidence for a multilocus etiology. *American Journal of Human Genetics*, 1999; 65(2): 493-507.
- <sup>4</sup>Lander ES. The new genomics: global views of biology. *Science*, 1996; 274(5287): 536-9.
- <sup>5</sup>Chakravarti A. Population genetics—making sense out of sequence. *Nature Genetics*, 1999; 21(1 Suppl): 56-60.
- <sup>6</sup>Risch NJ. Searching for genetic determinants in the new millennium. *Nature*, 2000; 405(6788): 847-56.
- <sup>7</sup>Ott J. *Analysis of human genetic linkage, third edition*. Baltimore, MD: Johns Hopkins University Press, 1999.
- <sup>8</sup>Jorde LB. Linkage disequilibrium as a gene-mapping tool. *American Journal of Human Genetics*, 1995; 56(1): 11-4.
- <sup>9</sup>Spielman RS, Ewens WJ. A sibship test for linkage in the presence of association: the sib transmission/disequilibrium test. *American Journal of Human Genetics*, 1998; 62(2): 450-8.
- <sup>10</sup>Faraone SV, Seidman LJ, Kremen WS, Toomey R, Pepple JR, Tsuang MT. Neuropsychological functioning among the nonpsychotic relatives of schizophrenic patients: a 4-year follow-up study. *Journal of Abnormal Psychology*, 1999; 108(1): 176-81.
- <sup>11</sup>Folstein SE, Santangelo SL, Gilman SE, Piven J, Landa R, Lainhart J, Hein J, Wzorek M. Predictors of cognitive test patterns in autism families. *Journal of Child Psychology and Psychiatry*, 1999; 40(7): 1117-28.
- <sup>12</sup>Tarantino LM, Bucan M. Dissection of behavior and psychiatric disorders using the mouse as a model. *Human Molecular Genetics*, 2000; 9(6): 953-65.

## ■ **How Biological Clocks Work**

- <sup>1</sup>Leibenluft E, Albert PS, Rosenthal NE, Wehr TA. Relationship between sleep and mood in patients with rapid-cycling bipolar disorder. *Psychiatry Research*, 1996; 63(2-3): 161-8.
- <sup>2</sup>Cannon CP, McCabe CH, Stone PH, Schactman M, Thompson B, Theroux P, Gibson RS, Feldman T, Kleiman NS, Tofler GH, Muller JE, Chaitman BR, Braunwald E. Circadian variation in the onset of unstable angina and non-Q-wave acute myocardial infarction (the TIMI III Registry and TIMI IIIB). *American Journal of Cardiology*, 1997; 79(3): 253-8.
- <sup>3</sup>Jarjour NN. Circadian variation in allergen and nonspecific bronchial responsiveness in asthma. *Chronobiology International*, 1999; 16(5): 631-9.
- <sup>4</sup>Pickard GE, Turek FW. The suprachiasmatic nuclei: two circadian clocks? *Brain Research*, 1983; 268(2): 201-10.
- <sup>5</sup>Hall JC. Cryptochromes: sensory reception, transduction, and clock functions subserving circadian systems. *Current Opinion in Neurobiology*, 2000; 10(4): 456-66.
- <sup>6</sup>Plautz JD, Kaneko M, Hall JC, Kay SA. Independent photoreceptive circadian clocks throughout *Drosophila*. *Science*, 1997; 278(5343): 1632-5.
- <sup>7</sup>Konopka RJ, Benzer S. Clock mutants of *Drosophila melanogaster*. *Proceedings of the National Academy of Sciences USA*, 1971; 68(9): 2112-6.
- <sup>8</sup>Reddy P, Zehring WA, Wheeler DA, Pirrotta V, Hadfield C, Hall JC, Rosbash M. Molecular analysis of the period locus in *Drosophila melanogaster* and identification of a transcript involved in biological rhythms. *Cell*, 1984; 38(3): 701-10.
- <sup>9</sup>Bargiello TA, Jackson FR, Young MW. Restoration of circadian behavioural rhythms by gene transfer in *Drosophila*. *Nature*, 1984; 312(5996): 752-4.
- <sup>10</sup>Antoch MP, Song EJ, Chang AM, Vitaterna MH, Zhao Y, Wilsbacher LD, Sangoram AM, King DP, Pinto LH, Takahashi JS. Functional identification of the mouse circadian Clock gene by transgenic BAC rescue. *Cell*, 1997; 89(4): 655-67.
- <sup>11</sup>Liu Y, Heintzen C, Loros J, Dunlap JC. Regulation of clock genes. *Cellular and Molecular Life Sciences*, 1999; 55(10): 1195-205.
- <sup>12</sup>Darlington TK, Wager-Smith K, Ceriani MF, Staknis D, Gekakis N, Steeves TDL, Weitz CJ, Takahashi JS, Kay SA. Closing the circadian loop: CLOCK-induced transcription of its own inhibitors *per* and *tim*. *Science*, 1998; 280(5369): 1599-603.
- <sup>13</sup>Kloss B, Price JL, Saez L, Blau J, Rothenfluh A, Wesley CS, Young MW. The *Drosophila* clock gene double-time encodes a protein closely related to human casein kinase Iepsilon. *Cell*, 1998; 94(1): 97-107.
- <sup>14</sup>Katzenberg D, Young T, Finn L, Lin L, King DP, Takahashi JS, Mignot E. A CLOCK polymorphism associated with human diurnal preference. *Sleep*, 1998; 21(6): 569-76.
- <sup>15</sup>Wolfson AR, Carskadon MA. Sleep schedules and daytime functioning in adolescents. *Child Development*, 1998; 69(4): 875-87.
- <sup>16</sup>Carskadon MA, Wolfson AR, Acebo C, Tzischinsky O, Seifer R. Adolescent sleep patterns, circadian timing, and sleepiness at a transition to early school days. *Sleep*, 1998; 21(8): 871-81.

## ■ **Seeing Our Feelings: Imaging Emotion in the Brain**

- <sup>1</sup>Morris JS, Frith CD, Perrett DI, Rowland D, Young AW, Calder AJ, Dolan RJ. A differential neural response in the human amygdala to fearful and happy facial expressions. *Nature*, 1996; 383(6603): 812-15.
- <sup>2</sup>Breiter HC, Etcoff NL, Whalen PJ, Kennedy WA, Rauch SL, Buckner RL, Strauss MM, Hyman SE, Rosen BR. Response and habituation of the human amygdala during visual processing of facial expression. *Neuron*, 1996; 17(5): 875-87.
- <sup>3</sup>Whalen PJ, Rauch SL, Etcoff NL, McInerney SC, Lee MB, Jenike MA. Masked presentations of emotional facial expressions modulate amygdala activity without explicit knowledge. *Journal of Neuroscience*, 1998; 18(1): 411-18.
- <sup>4</sup>Hariri AR, Bookheimer SY, Mazziotta JC. Modulating emotional responses: effects of a neocortical network on the limbic system. *Neuroreport*, 2000; 11(1): 43-8.
- <sup>5</sup>Buechel C, Dolan RJ. Classical fear conditioning in functional neuroimaging. *Current Opinion in Neurobiology*, 2000; 10(2): 219-23.
- <sup>6</sup>LaBar KS, Gatenby JC, Gore JC, LeDoux JE, Phelps EA. Human amygdala activation during conditioned fear acquisition and extinction: a mixed-trial fMRI study. *Neuron*, 1998; 20(5): 937-45.
- <sup>7</sup>Morris JS, Ohman A, Dolan RJ. Conscious and unconscious emotional learning in the human amygdala. *Nature*, 1998; 393(6684): 467-70.

## ■ **Stress and the Developing Brain**

- <sup>1</sup>McEwen BS. Allostasis and allostatic load: implications for neuropsychopharmacology. *Neuropsychopharmacology*, 2000; 22(2): 108-24.
- <sup>2</sup>Liu D, Diorio J, Tannenbaum B, Caldji C, Francis D, Freedman A, Sharma S, Pearson D, Plotsky PM, Meaney MJ. Maternal care, hippocampal glucocorticoid receptors, and hypothalamic-pituitary-adrenal responses to stress. *Science*, 1997; 277(5332): 1659-62.
- <sup>3</sup>Sheline YI, Sanghavi M, Mintun MA, Gado MH. Depression duration but not age predicts hippocampal volume loss in medically healthy women with recurrent major depression. *Journal of Neuroscience*, 1999; 19(12): 5034-43.
- <sup>4</sup>Brown ES, Rush AJ, McEwen BS. Hippocampal remodeling and damage by corticosteroids: implications for mood disorders. *Neuropsychopharmacology*, 1999; 21(4): 474-84.
- <sup>5</sup>Heim C, Newport DJ, Heit S, Graham YP, Wilcox M, Bonsall R, Miller AH, Nemeroff CB. Pituitary-adrenal and autonomic responses to stress in women after sexual and physical abuse in childhood. *Journal of the American Medical Association*, 2000; 284(5): 592-7.
- <sup>6</sup>Francis D, Diorio J, Liu D, Meaney MJ. Nongenomic transmission across generations of maternal behavior and stress responses in the rat. *Science*, 1999; 286(5442): 1155-8.
- <sup>7</sup>Plotsky PM, Meaney MJ. Early, postnatal experience alters hypothalamic corticotropin-releasing factor (CRF) mRNA, median eminence CRF content and stress-induced release in adult rats. *Brain Research. Molecular Brain Research*, 1993; 18(3): 195-200.
- <sup>8</sup>Ladd CO, Huot RL, Thrivikraman KV, Nemeroff CB, Meaney MJ, Plotsky PM. Long-term behavioral and neuroendocrine adaptations to adverse early experience. *Progress in Brain Research*, 2000; 122: 81-103.
- <sup>9</sup>Jones TA, Klintsova AY, Kilman VL, Sirevaag AM, Greenough WT. Induction of multiple synapses by experience in the visual cortex of adult rats. *Neurobiology of Learning and Memory*, 1997; 68(1): 13-20.
- <sup>10</sup>Green EJ, Greenough WT, Schlumpf BE. Effects of complex or isolated environments on cortical dendrites of middle-aged rats. *Brain Research*, 1983; 264(2): 233-40.
- <sup>11</sup>Coplan JD, Andrews MW, Rosenblum LA, Owens MJ, Friedman S, Gorman JM, Nemeroff CB. Persistent elevations of cerebrospinal fluid concentrations of corticotropin-releasing factor in adult nonhuman primates exposed to early-life stressors: implications for the pathophysiology of mood and anxiety disorders. *Proceedings of the National Academy of Sciences USA*, 1996; 93(4): 1619-23.

## ■ **What We Learned From Songbirds: The Adult Brain Can Generate New Nerve Cells**

- <sup>1</sup>Nottebohm F. A brain for all seasons: cyclical anatomical changes in song control nuclei of the canary brain. *Science*, 1981; 214(4527): 1368-70.
- <sup>2</sup>Bayer SA. Development of the hippocampal region in the rat. I. Neurogenesis examined with 3H-thymidine autoradiography. *Journal of Comparative Neurology*, 1980; 190(1): 87-114.
- <sup>3</sup>Bayer SA. Changes in the total number of dentate granule cells in juvenile and adult rats: a correlated volumetric and 3H-thymidine autoradiographic study. *Experimental Brain Research*, 1982; 46(3): 315-23.
- <sup>4</sup>Stanfield BB, Trice JE. Evidence that granule cells generated in the dentate gyrus of adult rats extend axonal projections. *Experimental Brain Research*, 1988; 72(2): 399-406.
- <sup>5</sup>Gould E, Tanapat P, McEwen BS, Flugge G, Fuchs E. Proliferation of granule cell precursors in the dentate gyrus of adult monkeys is diminished by stress. *Proceedings of the National Academy of Sciences USA*, 1998; 95(6): 3168-71.
- <sup>6</sup>Gould E, Reeves AJ, Graziano MS, et al. Neurogenesis in the neocortex of adult primates. *Science*, 1999; 286(5439): 548-52.  
<http://www.nimh.nih.gov/litalert/primate.cfm>

- <sup>7</sup>Eriksson PS, Perfilieva E, Bjork-Eriksson T, Alborn AM, Nordborg C, Peterson DA, Gage FH. Neurogenesis in the adult human hippocampus. *Nature Medicine*, 1998; 4(11): 1313-7.
- <sup>8</sup>Gould E, Tanapat P. Stress and hippocampal neurogenesis. *Biological Psychiatry*, 1999; 46(11): 1472-9.
- <sup>9</sup>Sheline YI, Sanghavi M, Mintun MA, Gado MH. Depression duration but not age predicts hippocampal volume loss in medically healthy women with recurrent major depression. *Journal of Neuroscience*, 1999; 19(12): 5034-43.

## For More Information

National Institute of Mental Health (NIMH)  
Office of Communications and Public Liaison  
Public Inquiries: (301) 443-4513  
Media Inquiries: (301) 443-4536  
E-mail: [nimhinfo@nih.gov](mailto:nimhinfo@nih.gov)  
Web site: <http://www.nimh.nih.gov>